



Included Items


Allen Wrench




Wheel Wrench



Cross Wrench



Spark Plug Wrench



multi tool




Mixed fuel ratio can



Equipment Needed


Screwdriver



AA Alkaline Batteries




Gasoline



Preparation for Running

Removing the Body


Body pin(Large/8mm)



Charging Receiver Battery




! Charge time 6 hours.



Charging Jack on R/C unit.

Charger Connector




Make sure charger jack fully inserted.

! After charging disconnect the battery and unplug the charger from wall.

⚠ Caution

- Use included charger only for included receiver pack.
- Do not use any other battery.
- Charge time for discharged battery: 6 hours.
- Do not charge battery for longer than 6 hours. this will cause over heating and battery damage.
- Do not charge other batteries with this charger. Serious damage or injury can occur.
- Keep battery out of reach of children. Keep battery away from water.
- A fully charged receiver battery can last up to 45 minutes.


Transmitter Preparation



Transmitter Battery Installation

Open battery cover at the bottom of transmitter. Install batteries. Follow the direction of batteries designated in the inside of battery box.

8X AA Alkaline Batteries




Setup Before Starting

Activating R/C Unit


Turn on transmitter first, then turn on receiver.

Make sure no one else is using the same radio frequency as you are using. Check the radio system and range before every driving session. To properly check the range, have a friend hold the buggy with the engine off and walk to the farthest distance that you plan to operate your model. Operate the controls to make sure the model responds correctly. Do not operate the model if there is any problem with the radio system. If you switch on the R/C car first before the transmitter, you may lose control of the R/C car.



Transmitter Operation

Steering Wheel




Turning the transmitter wheel left and right will make the front tires of the car do the same. Turning the wheel a small amount will make the model perform turn. Turning the wheel a large amount will make the model perform a sharp turn.

Straight(Neutral)


Left turn

Right turn




Steering Trim Setup


Steering Trim




Turn steering trim to set tires in completely centered position.




Throttle Trigger




Forward



Brake



Throttle Linkage Setup




Throttle Trim


Turn throttle trim little by little and adjust rods as shown. Push the car by hand and push the trigger to test brake function.

Stop(Neutral)

Brake Adjustment Dial



Brake



Carburetor

1mm(0.04")

Throttle Servo

Important

If throttle linkage is not set up correctly the car may lose control after the engine is started.

Important

No brake drag at neutral.

Less Braking



More Braking

Engine Starting


- These instructions will explain the starting procedure. Please read them carefully and fully understand them before starting the engine for the first time.
- Make sure no one is using the same frequency.
- Turn on transmitter first and receiver second. If you turn on receiver first, it can cause you to lose control of the car.
- Make sure linkage setup is correct before running (See Section 2-3).
- After running you must check the car and perform routine maintenance.
- If there is a problem with the engine, press engine OFF switch to shut down the engine.

⚠ Caution

If there is a problem with the engine, press engine off switch to shut down the engine.


! Engine OFF Switch

PUSH



Preparation for engine start

Keep the wheels off the ground.



Fill Fuel Tank

Clean any dirt from gas cap before removing. Dirt and debris should never get into the fuel tank. Fill the tank with fuel. Make sure the gas cap is screwed on tightly before starting the engine.


You must only use a mixture of gasoline and two stroke oil as fuel for this engine. Never use glow fuels intended for R/C cars.

⚠ Caution


Be careful not to tilt the car. Gasoline may leak from the vent hole.




Fuel Tank Cap



Funnel



Turn on Radio System




Extend the antenna



ON



Make sure no one is using the same frequency. Turn on transmitter first, then turn on the receiver. Check the throttle and steering functions and check the radio range before starting the engine. If you switch on the R/C car first before the transmitter, you may lose control of the R/C car.




Receiver Switch



Priming Engine


To prime the engine, fill the tank with fuel and push the primer bulb until fuel shows in the return tube (Yellow).

After the engine has been run for the first time, if fuel shows in the yellow return tube, you do not need to prime the engine.



Primer Bulb

! PUSH



Engine Start

Make sure choke lever is in the horizontal position before starting.
Start the engine by pulling the starter cord in short pulls(No longer than 20" max)


The engine must never be run without the air filter in place.

If there is a problem with the engine, press the engine OFF switch to shut down the engine.


Engine Start Tips

- ① If you have trouble starting the engine, move the choke lever to the vertical positionⓐ.
- ② Pull the starter cord until you hear the engine is almost starting. Then move the choke lever back to the horizontal positionⓑ and try starting the engine.
If you pull the starter cord too much while the choke lever is in the vertical positionⓐ, you might flood the engine.


Choke Lever




20" 50cm MAX



①



②




⚠ Caution

! Engine OFF Switch


If there is a problem with the engine, press engine OFF switch to shut down the engine.

PUSH



Engine Stop

You can shut down the engine by pushing the engine off switch.




⚠ Caution

! Be careful after running, the engine and muffler will be very hot.



! Engine OFF Switch

PUSH



Turning R/C Off


After the engine is shut off, turn off receiver first, then turn off transmitter.




Retract the antenna

2

OFF




If you switch off the transmitter first before the R/C car, you may lose control of the R/C car.











Thank you

Thank you for Using Baja terminator This Kit is designed to be fun to drive and uses top quality parts for durability and performance. The instruction manual you are reading was designed to be easy to follow yet thorough in its explanations. We want you to enjoy driving this high performance Baja terminator. If any question, pls contact us by Email, telephone or fax, we will reply you in time.



Caution

Failure to follow these instructions can damage your kit, and cause serious bodily injury or death.



Attention

Failure to follow these instructions can cause injury to yourself or others. you might also cause property damage or damage your kit.

⚠ Caution

! To prevent any serious personal injury and/or damage to property, please be responsible when operating all remote controlled models. Extra attention is called for when operating any fuel powered model. These models can exceed speeds of 40 m.p.h. and use highly poisonous and flammable fuels. Children are forbidden to play below the age of 14.

Safety Guidelines When Operating Gasoline Engines




- This product uses a mixture of gasoline and two cycle oil for fuel. Please use extreme caution when handling gasoline.
- Do not run near open flames or smoke while running your model or while handling fuel.
- Always store fuel in a well ventilated place, away from heating devices, open flames, direct sunlight, or batteries.
- Gasoline is flammable and poisonous. Gasoline powered model engines emit poisonous vapors. These vapors irritate eyes and can be highly dangerous to your health.



- You must only use a mixture of gasoline and two cycle oil as fuel for this engine. Never use glow fuels intended for R/C cars.
- Be aware that some parts will be hot after operation. Do not touch the exhaust or the engine until they have cooled.
- After running, please empty the fuel tank before storing the car.
- Keep fuel away from children.
- Store in a well ventilated area.

Components

R/C Car



Transmitter



Compatible charger for Receiver Battery Pack